

UMLモデリングツール

PatternWeaver

- インストールマニュアル -



株式会社テクノロジックアート
TECHNOLOGIC ARTS INCORPORATED

目次

1. プラグイン単体版のインストール	3
2. Eclipse 統合版のインストール	11
3. RCP 版のインストール	12
4. パターンウィーバーを起動する	13

※パターンウィーバーの提供形態

パターンウィーバーには以下の提供形態がございます。

提供形態によってインストール方法が異なりますのであらかじめご承知ください。

・プラグイン単体版

パターンウィーバーのみで提供される形態です。お使いいただくためには、別途Eclipseをご用意いただく必要があります。

・Eclipse統合版

Eclipse内にあらかじめパターンウィーバーが組み込まれた状態で提供される形態です。インストール後すぐにパターンウィーバーをお使いいただけます。

・RCP版

EclipseのRCP(Rich Client Platform)形式で提供される形態です。別途Eclipseをご用意いただくなくてもパターンウィーバー単体でお使いいただくことができます。また、メニューなどもパターンウィーバーに特化した形(Eclipseのその他のメニューは表示されない)になりますので、Javaなどでプログラミングを行わないユーザ様には最適な提供形態です。

1. プラグイン単体版のインストール

1) Eclipseをインストールする

- 以下のサイトの「Archived Releases」から「3.0.1」または「3.1.1」を選択する。

<http://archive.eclipse.org/eclipse/downloads/index.php>

Build Type	Build Name	Build Date
Archived Release	3.1.2	Wed, 18 Jan 2006 -- 16:00 (-0500)
Archived 3.2 Stream Stable Build	3.2RC7	Fri, 2 Jun 2006 13:17 (0400)
Archived 1 language Pack	language_Packs	Wed, 5 Oct 2005 -- 13:00 (-1400)

Build Name	Date
3.1.1	Wed, 18 Jan 2006 -- 16:00 (-0500)
3.1.0	Thu, 29 Sep 2005 -- 08:40 (-0400)
3.0.2	Mon, 27 Jun 2005 -- 14:35 (-0400)
3.0.1	Fri, 11 Mar 2005 -- 08:45 (-0500)
3.0	Thu, 16 Sep 2004 11:25 (0400)
2.1.3	Fri, 25 Jun 2004 -- 17:08 (-1400)
2.1.2	Wed, 10 Mar 2004 -- 18:28 (-0500)
2.1.1	Mon, 3 Nov 2003 -- 08:02 (-0500)
2.1	Fri, 27 Jun 2003 -- 16:45 (-0400)
2.0.2	Thu, 27 Mar 2003 -- 21:30 (-0500)
2.0.1	Thu, 7 Nov 2002 -- 14:48 (-0500)
2.0	Thu, 29 Aug 2002 -- 18:28 (-0400)
1.0	Thu, 27 Jun 2002 -- 18:35 (-0400)
	Wed, 7 Nov 2001 00:01 (0500)

Build Name	Build Date
3.2RC7	Fri, 2 Jun 2006 -- 13:17 (-0400)
3.2RC6	Fri, 26 May 2006 -- 00:10 (-0400)
3.2RC5	Fri, 19 May 2006 -- 12:05 (-0400)
3.2RC4	Fri, 12 May 2006 -- 16:00 (-0400)
3.2RC3	Fri, 5 May 2006 -- 13:06 (-0400)

- Windowsプラットフォームを選択し、任意のサイトからダウンロードする。
- ダウンロードしたファイル(3.1.1の場合はeclipse-SDK-3.1.1-win32.zip)を任意のフォルダに展開する(ZIPファイルを解凍する)


※注意 デスクトップやマイドキュメントには展開しないでください。

Eclipseの起動に問題が発生する場合があります。

2. Eclipse の日本語化キットをインストールする

- 以下のサイトの「Archived Language Packs」から該当するバージョンの Language Pack を選択する。

<http://archive.eclipse.org/eclipse/downloads/index.php>



The screenshot shows the Eclipse Project Downloads page in Microsoft Internet Explorer. The page is titled "Eclipse Project Downloads - Microsoft Internet Explorer" and displays a list of Eclipse builds and language packs. The "Archived Language Packs" section is highlighted, and the link "3.1.1 Language Packs" is enclosed in a red box. A callout bubble with the text "日本語化キット" (Japanese Localization Kit) points to this link.

Build Name	Build Date
3.1.1	Thu, 29 Sep 2005 -- 08:40 (-0400)
3.1	Mon, 27 Jun 2005 -- 14:35 (-0400)
3.0.2	Fri, 11 Mar 2005 -- 08:45 (-0500)
3.0.1	Thu, 16 Sep 2004 -- 11:25 (-0400)
3.0	Fri, 25 Jun 2004 -- 17:18 (-0400)
2.1.3	Wed, 10 Mar 2004 -- 18:28 (-0500)
2.1.2	Mon, 3 Nov 2003 -- 18:17 (-0500)
2.1.1	Fri, 27 Jun 2003 -- 15:45 (-0400)
2.1	Thu, 27 Mar 2003 -- 21:30 (-0500)
2.0.2	Thu, 7 Nov 2002 -- 14:48 (-0500)
2.0.1	Thu, 29 Aug 2002 -- 18:28 (-0400)
2.0	Thu, 27 Jun 2002 -- 18:35 (-0400)
1.0	Wed, 7 Nov 2001 -- 00:01 (-0500)

Archived 3.2 Stream Stable Builds	
Build Name	Build Date
3.2RC7	Fri, 2 Jun 2006 -- 13:17 (-0400)
3.2RC6	Fri, 26 May 2006 -- 00:10 (-0400)
3.2RC5	Fri, 19 May 2006 -- 12:06 (-0400)
3.2RC4	Fri, 12 May 2006 -- 16:00 (-0400)
3.2RC3	Fri, 5 May 2006 -- 13:06 (-0400)
3.2RC2	Fri, 28 Apr 2006 -- 13:15 (-0400)
3.2RC1a	Wed, 19 Apr 2006 -- 16:40 (-0400)
3.2RC1	Thu, 13 Apr 2006 -- 17:18 (-0400)
3.2M6	Fri, 18 Mar 2006 -- 21:11 (-0400)
3.2M5a	Feb 2006 -- 16:56 (-0500)
3.2M5	Feb 2006 -- 11:15 (-0500)
3.2M4	Dec 2005 -- 15:06 (-0500)
3.2M3	Wed, 7 Nov 2005 -- 16:11 (-0500)
3.2M2	Fri, 23 Sep 2005 -- 10:00 (-0400)
3.2M1	Thu, 11 Aug 2005 -- 15:30 (-0400)

Archived Language Packs	
Build Name	Build Date
3.1.1 Language Packs	Wed, 5 Oct 2005 -- 13:00 (-0400)
3.0.2 Translations	Thu, 16 Sep 2004 -- 11:25 (-0400)
2.1.2 Translations	Mon, 15 Dec 2003 -- 13:00 (-0500)
2.1.1 Translations	Wed, 2 Jul 2003 -- 13:00 (-0400)
2.0.x Translations	Tue, 7 Jan 2003 -- 10:00 (-0500)

■ SDK Language Pack のWindows プラットフォームを選択し、ダウンロードする。

Language Packs: 3.1.x
October 6, 2005. These downloads are provided under the [Eclipse.org Software User Agreement](#).

Eclipse Language Pack Downloads

IBM has donated translations from their products to Eclipse. The language packs group translations for several languages into a single download which are distributed as a set of features which you can install by extracting over your Eclipse directory and restarting Eclipse. Specifically,


- NLpack1** – Contains the NL fragments and the NL features¹ that contain those fragments for: German, Spanish, French, Italian, Japanese, Korean, Portuguese (Brazil), Traditional Chinese and Simplified Chinese.
- NLpack2** – Contains the NL fragments and the NL features¹ that contain those fragments for: Czech, Hungarian, Polish and Russian.
- NLpack1_FeatureOverlay** – Contains the translations for feature.properties files contained by the features² defined by the Eclipse component being translated. These files contain translations for: German, Spanish, French, Italian, Japanese, Korean, Portuguese (Brazil), Traditional Chinese and Simplified Chinese.
- NLpack2_FeatureOverlay** – Contains the translations for feature.properties files contained by the features² defined by the Eclipse component being translated. These files contain translations for: Czech, Hungarian, Polish and Russian.
- NLpackBidi_FeatureOverlay** – Contains the translations for feature.properties files contained by the features² defined by the Eclipse component being translated. These files contain translations for: Arabic.

These translations are based on the Eclipse 3.1.1 build but should work with all subsequent 3.1 maintenance releases. If new strings are added to Eclipse after 3.1.1, they will not show up as translated in the 3.1.x stream when you install this language pack.

SDK Language Packs	Windows 98/ME/2000/XP	Linux (x86/GTK 2)	Description
NLpack1 - German, Spanish, French, Italian, Japanese, Korean, Portuguese (Brazil), Traditional Chinese and Simplified Chinese.	NLpack1-eclipse-SDK-3.1.1a-win32.zip	NLpack1_FeatureOverlay-eclipse-SDK-3.1.1.zip NLpack1-eclipse-SDK-3.1.1a-gtk.zip	Both of these are required if SUK was downloaded
NLpack2 - Czech, Hungarian, Polish and Russian	NLpack2_FeatureOverlay-eclipse-SUK-3.1.1.zip NLpack2-eclipse-SUK-3.1.1a-win32.zip	NLpack2_FeatureOverlay-eclipse-SUK-3.1.1.zip NLpack2-eclipse-SUK-3.1.1a-gtk.zip	
NLpackBidi - Arabic	NLpackBidi_FeatureOverlay-eclipse-SDK-3.1.1.zip NLpackBidi-eclipse-SDK-3.1.1a-win32.zip	NLpackBidi_FeatureOverlay-eclipse-SDK-3.1.1.zip NLpackBidi-eclipse-SDK-3.1.1a-gtk.zip	


RCP Runtime Binary Language Packs	Windows 98/ME/2000/XP	Linux (x86/GTK 2)	Description
NLpack1 - German, Spanish, French, Italian, Japanese, Korean, Portuguese (Brazil), Traditional Chinese and Simplified Chinese.	NLpack1_FeatureOverlay-eclipse-RCP-3.1.1.zip NLpack1-eclipse-RCP-3.1.1-win32.zip	NLpack1_FeatureOverlay-eclipse-RCP-3.1.1.zip	Both of these are required if RCP Runtime was downloaded
NLpack2 - Czech, Hungarian, Polish and Russian	NLpack2_FeatureOverlay-eclipse-RCP-3.1.1.zip NLpack2-eclipse-RCP-3.1.1-win32.zip	NLpack2_FeatureOverlay-eclipse-RCP-3.1.1.zip	
NLpackBidi - Arabic	NLpackBidi_FeatureOverlay-eclipse-RCP-3.1.1.zip NLpackBidi-eclipse-RCP-3.1.1-win32.zip	NLpackBidi_FeatureOverlay-eclipse-RCP-3.1.1.zip NLpackBidi-eclipse-RCP-3.1.1-gtk.zip	

- ダウンロードしたファイル（3.0.1：NLpack-eclipse-SDK-3.0.x-win32.zip、3.1.1：NLpack1-eclipse-SDK-3.1.1a-win32.zip）を展開してできるフォルダ「plugins」と「features」を1でインストールしたEclipseのフォルダ内にコピーして上書きする。




3. パターンウィーバーをインストールする


- Eclipseを起動する。
- メニューの「ヘルプ」→「ソフトウェア更新」→「検索とインストール」を選択する。




- 「インストールする新規フィーチャーを検索」を選択して「次へ」。




- 「新規アーカイブサイト」を選択し、「PatternWeaverSE22u.zip」(Standard Edition)、「PatternWeaverLE22u.zip」(Lite Edition)、「PatternWeaverCE22u.zip」(Community Edition)のいずれかのファイルを選択したあと、「終了」を選択する。




- インストールするフィーチャーとしてパターンウィーバーを選択し、「次へ」を選択する。




- ライセンスの確認画面が表示されるため、内容を一読し、問題がなければ「使用条件の条項に同意します」をチェックし、「次へ」を選択する。




- インストールするフィーチャーの確認画面が表示されるため、「終了」を選択する。



- 「フィーチャーの検査」画面が表示されるため「すべてインストール」を選択する。



- 以下のダイアログが表示されるため、「はい」を選択してEclipseを再起動する。



※ライセンスについて

パターンウィーバーには最初期間限定のテンポラリーライセンスがセットされています。


ご購入後、サポート窓口から送信される正式なライセンスファイル(license.lic)を以下のフォルダにインストールし、上書きしてください。

<パターンウィーバーインストール先>%plugins%com.foundatao.pw2_2.2.0%settings

2. Eclipse 統合版のインストール

1. パターンウィーバーを展開する

「PatternWeaverSE22i.exe(Standard Edition)」または「PatternWeaverLE22i.exe(Lite Edition)」をダブルクリックして実行します。すると、以下のような画面が表示されますので、ボタン「Unzip」を押下してインストールを開始します。すると「c:¥」の下に「PatternWeaverSE22i」または「PatternWeaverLE22i」というフォルダが作成され、インストールが完了します(デフォルトのインストール先「C:¥」を変更する場合は、ボタン「Browse」からインストール先を選択してください)。



※ライセンスについて

パターンウィーバーには最初期間限定のテンポラリーライセンスがセットされています。
ご購入後、サポート窓口から送信される正式なライセンスファイル(license.lic)を以下のフォルダにインストールし、上書きしてください。

＜パターンウィーバーインストール先＞¥plugins¥com.foundatao.pw2_2.2.0¥settings

3. RCP 版のインストール

1. パターンウィーバーを展開する

「PatternWeaverSE22r.zip(Standard Edition)」、「PatternWeaverLE22r.zip(Lite Edition)」、「PatternWeaverCE22r.zip(Community Edition)」のいずれかのZIPファイルを展開します。展開されたフォルダ内の「patternweaver.exe」をダブルクリックすることでパターンウィーバーが起動します。


※ライセンスについて

パターンウィーバーには最初期間限定のテンポラリーライセンスがセットされています。ご購入後、サポート窓口から送信される正式なライセンスファイル(license.lic)を以下のフォルダにインストールし、上書きしてください。

<パターンウィーバーインストール先>%plugins%com.foundatao.pw2_2.2.0%settings

4. パターンウィーバーを起動する


■ Eclipseを起動する。



※注意

RCP版は「patternweaver.exe」を起動します。

- メニューの「ウィンドウ」から「パースペクティブを開く」を選択する。
- 「その他」を選択後、「Pattern Weaver」を選択する。



■ パターンウィーバーのパースペクティブ(画面モード)が表示される。

